


WONDERFLOOR

www.wonderfloor.co.in

TIMBERWORLD

1.50 mm

PUR



MADE
in
INDIA


High Performance
Luxury Vinyl Planks

WONDERFLOOR

www.wonderfloor.co.in

TIMBERWORLD

1.50 mm



A2



A4



A7



B1

914.4mm (36 inch)

Timberworld Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERWORLD

1.50 mm



B3



B6



B8



NA 1

914.4mm (36 inch)

Timberworld Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERWORLD

1.50 mm



NB 2



NB 4



ZA 3



ZA 5

914.4mm (36 inch)

Timberworld Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERWORLD


1.50 mm



ZA 8



ZA 9



ZB 5



ZB 7

914.4mm (36 inch)

Timberworld Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERWORLD
1.50 mm



When you install Wonderfloor products you are helping nature by minimising the usage of wood and natural stones. Our floorings are recyclable which contribute towards conserving nature.



Fire Resistant



Termite Proof



Environment Friendly



Moisture Proof

WONDERFLOOR

www.wonderfloor.co.in

TIMBERLAND EXOTICA

2.00 mm

PUR



MADE
in
INDIA

High Performance
Luxury Vinyl Planks

WONDERFLOOR

www.wonderfloor.co.in

TIMBERLAND EXOTICA

2.00 mm



Beach Natural 2024



Burnt Wood 2406



Oak Premium 2906



Oak White 2911

914.4mm (36 inch)

Timberland Exotica Dimensions:




152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERLAND EXOTICA

2.00 mm




Natural Teak 3040



Walnut 3062



Exotic Teak 3111



Honey Oak 3113

914.4mm (36 inch)

Timberland Exotica Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERLAND EXOTICA


2.00 mm



English Wood 3338



Antique 3304



Classic Dark 3382



Classy Cane 3383

914.4mm (36 inch)

Timberland Exotica Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERLAND EXOTICA


2.00 mm



Farm Oak 3408



Weathery Oak 3571



Exotic Wood 3572



Cherry 3624

914.4mm (36 inch)

Timberland Exotica Dimensions:



152.4mm (6 inch)

WONDERFLOOR

www.wonderfloor.co.in

TIMBERLAND EXOTICA

2.00 mm



When you install Wonderfloor products you are helping nature by minimising the usage of wood and natural stones. Our floorings are recyclable which contribute towards conserving nature.



Fire Resistant



Termite Proof



Environment Friendly




Moisture Proof

WONDERFLOOR


www.wonderfloor.co.in

ORBIT



**Homogeneous
Conductive Flooring**

ORBIT



NEW GREY



BEIGE



P GREEN



NEW BLUE

Salient Features

- Homogeneous single layer conductive flooring
- Non directional design
- High quality static control
- Stable and permanent conductivity
- Electrical resistance - 5×10^4 ohms to 10^6 ohms
- Anti bacterial and fungicidal

WONDERFLOOR

www.wonderfloor.co.in

METEOR

PUR

MADE
in
INDIA

Premium Flooring



WONDERFLOOR

www.wonderfloor.co.in

METEOR



311011



311012



311013



557811



557812



557813



558201



558202



558203



558204



EMB 147



EMB 160



EMB 195



EMB 216



EMB 220




EMB 250



EMB 253



EMB 254



EMB 255



EMB-256



EMB 259



EMB 407



EMB 468



EMB 475



EMB 478



EMB 480



EMB 484



EMB 485



EMB 499



Thickness: 1.0 / 1.20 / 1.5mm / 2.0 mm / 3.0mm
Roll Width: 2.0 / 1.50 mtr
Roll Length: 25 / 20 / 15 linear mtr

MATRIX | Transport Floorings

Matrix Embossed Flooring is meant to provide extra grip for safe movements. It is available in a wide range of deep embossed designs which provide a surface which enhances slip resistance. Attractive patterns like Coin, Chequered Plate, Dew Drops, Hexagon, Diamond, etc are some of the hot favourites among our customers.

Salient Features

- Available in solid colours with homogeneous or heterogeneous type in various embossing on the top layer in pleasant metallic colours, like aluminium, copper, gold, etc or in solid colours like Black, Red, Yellow, etc
- They are 'M' or 'P' rated depending upon the thickness and have a slip resistance of R10
- Product is suitable for sale in Europe and fire safety approvals have been obtained from European labs
- Choice of Colour may be customized on the basis of customer preference
- Matrix is also available with polyester non woven or jute backing which provides enhanced sound and thermal insulation
- Trains, Lifts, Loading Ramps, Walk ways, Wet Areas, etc



www.siv.com
ID 910837206



Black



Sand Stone

MATRIX | Transport Floorings

MATRIX Embossed Floorings are available in the following colours



Dk Grey



Almond Brown



Terracotta



Grey



Forest Green



Sky Blue



Lt Grey



Green



Blue




Silver



Brown



Ocean Blue



Pearl White



Maroon



Yellow



White



Brick Red



Sparkle Dk Grey



Beige



Red



Sparkle Grey



ISO 9001:2015
www.siv.com
ID 910837206



WONDERFLOOR

www.wonderfloor.co.in

LUXURIA



**MADE
in
INDIA**

Cushion Vinyl Flooring

LUXURIA



771701



771702



771703



771704




775103



775105



775106



775107



775402



775403



775404



775405

WONDERFLOOR

www.wonderfloor.co.in


LUXURIA



776125



776126



- Residential / Semi commercial application
- Relaxed and comfort foot
- Sound absorption
- Ideal for cold climate (remain soft)
- Good dimensional stability
- Cosy and warm Interior.



WONDERFLOOR

www.wonderfloor.co.in


KRAYONS



Pastel Pink



Pastel Orange



Pastel Purple



Pastel Cherry



Pastel Blue



Pastel Dark Blue



Pastel Green




Pastel Lemon

WONDERFLOOR

www.wonderfloor.co.in

KRAYONS



Frosty Orange



Frosty Red



Frosty Yellow



Frosty Blue



Frosty Grey



Frosty Beige



Mercury



Lee Cooper



Blue Water



Florida



Desert Sand



Iceberg



Amber



Saffrony



Coral Feast



Emerald Green



Carolina Blue



Oyster



Ice Land

Thickness: 1.00/1.50mm/2.00mm/3.00mm
 Roll Width: 1.50 mtr
 Roll Length: 15 / 20 linear mtr

ROBUST | Multi-Purpose Floorings

Robust is heavy duty, high quality, resilient, flexible and highly durable marbled PVC Flooring. It is designed to withstand high traffic and abrasion. This product has a unique marbling pattern that adds to the aesthetics of the area where they are installed as it is produced having one base colour and two contrast colours used for marbling by a special hot granulation process which is unique in nature.


The product is specially treated with a “**Wonderguard**” surface treatment which ensures scratch resistance, resistance to staining, easy maintenance & very easy cleaning of shoe scuff marks.

Salient Features

- Robust office flooring is ‘P’ rated and have a slip resistance of R9
- The floorings are embossed with “Raindrop” embossing design which enables quick cleaning & easy maintenance.
- Robust is available with **PUR surface protection** providing resistance against scratches & dirt accumulation and also ensures quick cleaning/ mopping
- Can be thermo welded for joint free installation
- **Application areas:** Offices, Shops, Factories, Porta Cabins, Auditoriums, schools, libraries, healthcare etc.

1.00mm does not come with PUR Surface Protection

PUR SURFACE PROTECTION



Wonderfloor’s **Robust Flooring** incorporates **WONDERGUARD** state-of-the-art-technology, which have exhibited 99.9% inhibition in growth of microbial activity under test conditions and also support clean condition requirements for hygiene.



Beige (4501)




Almond Brown (4502)



Black (4508)



Citrus Yellow (4503)



Light Grey (4509)



Tango Orange (4504)



Ash Grey (4510)



Terracotta (4505)



Lily White (4511)



Signal Red (4506)



Carolina Blue (4512)



Sea Green (4507)



Ocean Blue (4513)



Marine Blue (4514)



Super Cream (4515)



Thickness: 1.00/1.50mm/2.00mm/3.00mm
 Roll Width: 1.50 mtr / 2 mtr
 Roll Length: 15 / 20 linear mtr

DUROFLOOR | Heavy-Duty Floorings

These are economically priced, heavy duty floorings having a simple two colour Directional Marble pattern. These are most suitable for Porta Cabins or areas where low cost products are required but performance of a heavy duty flooring is required. These floorings are having a special surface treatment that ensures quick cleaning & low maintenance costs. These floorings are available in rolls and tiles and thickness available from 1.0 mm to 3 mm. The Rolls are available in width of upto 2 Mtrs. & tiles are produced in various sizes.

Salient Features

- Durofloor is 'M' rated flooring with slip resistance of R9
- Available in a wide range of shade
- Ideal for moderate footfalls
- A cost effective economic flooring solution
- Sound absorption quality
- **Application areas:** Porta Cabins, Pre-fabricated structure, Low budget projects, Warehouse, Labour camps, Shop floors, etc



Smoke Grey



Ruby Blue



Pearl



Mint Green



Muddy Beige



Tangerine



Aqua Blue



Steel Grey

Thickness: 1.50/2.00mm/3.00mm
 Roll Width: 1.5 mtr / 2 mtr
 Roll Length: 15 / 20 linear mtr

SIGGMA COMMERCIAL | Multi-Purpose Floorings


SIGGMA - COMMERCIAL is a specialized flooring designed for commercial projects/ industry keeping in mind the heavy footfalls, trolley movements etc. It has standard antimicrobial / fungicidal properties of the Vinyl flooring.

The product is specially treated with a “Wonderguard” surface treatment which ensures scratch resistance, resistance to staining, easy maintenance & very easy cleaning of shoe scuff marks.

Salient Features

- Siggma Commercial office flooring is 'P' rated and have a slip resistance of R9
- Siggma Commercial is available with **PUR surface protection** providing resistance against scratches & dirt accumulation and also ensures quick cleaning/ mopping
- Can be thermo welded for joint free installation
- **Application areas:** Pharma Shops, Medical Factories, Dispensaries, Clean rooms, Offices & Food industry etc.

PUR SURFACE PROTECTION



Wonderfloor's **Siggma Commercial** incorporates **WONDERGUARD** state-of-the-art-technology, which have exhibited 99.9% inhibition in growth of microbial activity under test conditions and also support clean condition requirements for hygiene.

WONDERFLOOR

www.wonderfloor.co.in

DURATEK




211101




211103



211104



211901



211902




211903




211904



215901



215902



215904



215907



215908

WONDERFLOOR

www.wonderfloor.co.in

DURATEK



216901




216902




216903



216904



216908



219101




219102



219103




219104



219105



219106



219107

WONDERFLOOR

www.wonderfloor.co.in

DURATEK



219108




219301




219302




219303



219304



219305



219306



311701



311702



311703



311704

ANTIQUÉ




553506




553508



553510



554701



554702



554703



554704




554705



554707



555201



555202



555203

ANTIQU



555204



555205



556301



556302



556303



556304



556305



556902



556903



556904



556905



557307



557308

RHYTHM | Dance/Studio Flooring

RHYTHM SWING

Rhythm-Swing is cushioned flooring specially designed for dance applications. These are thick floors with GFT impregnated layer which offers a lay flat feature when the rolls are opened. The tough top layer is available in black, grey or white colour and a soft cushion layer in the bottom provides comfort and cushion while dancing.

Salient Features

- Most suitable for Dance floor applications and for TV Studios which requires a matt finish single colour flooring
- The flooring can be rolled & unrolled several times and ideal for easy storage after use
- Lightweight and convenient while travelling
- The flooring is lay flat and can be cut in smaller sizes for home usage
- Rhythm Swing has higher sound absorption properties
- Also available in Shiny/Glossy finish




RHYTHM TWIST

For International Market only

Rhythm Twist is reversible compact dance flooring having black colour on one side and choice of white or grey on the other side. The flooring has Impregnated Glass Fibre Reinforcement which makes them lay flat when laid out. The flooring is of compact type which makes it most suitable for certain dance styles.

Salient Features

- Compact and lightweight flooring
- Suitable for TV Studios and Dance floor applications and can be used as per the customers décor and choice



These are reversible types of floors having colour options of black, grey & white

RHYTHM BEATS

Rhythm Beats is a heavy duty flooring suitable for areas such as, theater, stage floors etc. The flooring is designed for permanent installation and is suitable for long time usage.

The flooring is produced without glass fibre tissue impregnation and is designed for use where flooring is pasted with adhesive on the sub floor for permanent installation. Joints may need thermo welding.

Available in exciting range of colours: Silver, Golden Shiny Black & Shiny White





219306



219304



219305



219303



219302



219301



219104



219105



219102



219103



216908



219101



216903



216904



216901

Thickness: 1.00 mm
Roll Width: 2 mtr
Roll Length: 20 linear mtr

DURATEK Residential Floorings

Duratek is elegant, flexible printed flooring with an array of designs and shades to choose from. It is ideal for residential flooring, office flooring and retail flooring. It is available in beautiful patterns and there is a wide ranging choice of patterns.

Salient Features

- These are suitable for residential purposes and offices, retails etc.
- Available thickness 1.00 mm.
- Roll dimension: 2 mtr x 20 mtr

Thickness: 1.00 mm
Roll Width: 2 mtr
Roll Length: 20 linear mtr

DURATEK | Residential Floorings



215901



216001



215908



216002



215902



215707



215904



219108



216902



219106



216006



219107



216007



216003



216004





Pastel Lemon



Frosty Beige



Pastel Orange



Frosty Yellow



Pastel Pink



Frosty Orange



Pastel Cherry



Frosty Red



Pastel Green



Frosty Blue



Pastel Blue



Frosty Grey



Pastel Purple



Pastel Dark Blue

Thickness: 2.0mm
Roll width- 2.0 mtrs
Length: 20 linear mtr

KRAYONS | School Floorings


Krayons is the colorful range of flooring in lively natural shades to add freshness, cheerfulness and joy to the interiors. Krayons is a designers' delight and a medium to get imaginative by mix-and-match of different shapes, sizes and colours.

These are suitable for semi commercial usage like kids schools, residential floorings & office areas. These floorings have a cushion layer with Glass Fibre Tissue (GFT) impregnation for dimensional stability, lay flat properties, easy installation and sound absorbing property.


The surface is PUR treated to ensure quick cleaning and easy maintenance. Even marks left by a permanent ink pen can be rubbed and cleaned without much effort.

Salient Features

- Superior shock absorbing cushion base layer
- Specially formulated high abrasion resistant wear layer
- **PUR** surface protection for ease in maintenance with stain resistance
- Glass Fibre Impregnation to provide high dimensional stability
- The product is suitable for medium traffic areas
- **Application areas:** Pre Schools & Kindergarden schools, Sports courts, fitness centre, schools, yoga centres, hospitality etc.
- **Wear Group P**

 Slip resistant and impact resistant for child safety

Multiple layers for multiple benefits



Wonderfloor's **Braavo & Krayons** incorporates **WONDERGUARD** state of the art technology which have exhibited 99.9% inhibition in growth of microbial activity under test conditions and also support clean condition requirements for hygiene



Ash Wood TW 41



F Green



Maple White TW 42



Terracotta



Red Alm TW 43



Dk Grey



Eucalyptus TW 44



D Brown



Royal Ivory



Icy Blue



S Grey



River Blue



Daffodils

Thickness: 2.00 mm
 Roll Width: 2 mtr
 Roll Length: 15 linear mtr

TRENDO | Multi-Purpose Floorings


Trendo is a state-of-the-art multi-application flooring produced keeping in mind India's quest for the latest trend in comfort, sound & vibration absorption, pleasing shades and a very high abrasion resistance. These floorings are produced with Glass Fibre Impregnation to provide high dimensional stability and minimal shrinkage at joints. The "Wonderguard" surface treatment ensures very low maintenance requirements as dust & grime do not stick to the surface.

Trendo flooring is available in attractive wooden designs & non directional chip design and is most suitable for use in the healthcare industry as it has antibacterial and Anti static property as well. They are also suitable for use in large working areas like offices, libraries, educational institutes, stores, cafeteria and many other similar application.

Salient Features


- Antistatic properties
- Non-directional and wood designs
- Anti bacterial and fungicidal
- **PUR** surface protection for ease in maintenance with stain resistance
- Glass Fibre Impregnation to provide high dimensional stability
- Termites and Moisture resistant
- Reduces noise impact
- High strength wear layer
- Easy to install
- **Application areas:** Hospitals, libraries, educational institutes, stores, cafeterias etc
- **Wear Group P**

Multiple layers for multiple benefits




Wonderfloor's **Sigma, Trendo & Wallspro** range incorporates **WONDERSHIELD** state of the art technology which have exhibited 99.9% inhibition in growth of microbial activity under test conditions and also support clean room condition requirements.


Regular colour range



Shatabdi Blue  



S R Beige  



Crimson Red  



Sparkle Blue  




K. L. Grey  



N. Blue  



EC Grey  




Terracotta  



Sparkle Grey  



Sandy Brown  



Sparkle Yellow  



Sparkel Red  

Thickness: 1.0 / 1.5mm / 2.0 mm / 3.0mm
 Roll Width: 2.0 / 1.50 mtr
 Roll Length: 20 / 15 linear mtr
 Tile Size: 300 X 300 / 305 X 305 / 610 X 610

TRACTION | Transport Floorings

These are special floor covering embedded with Silicon Carbide (Carborundum) grains on the top surface which provide very high slip resistance rating. Due to a superior PVC content and Silicon Carbide Grains, Traction flooring is able to withstand very high abrasion and are most suitable for areas where there is heavy footfalls and anti-slip properties are required like Buses, Trains, Ramps, Wet Areas, etc.

Salient Features

- Produced as per ISO requirements and with Fire & Smoke emission requirements which are most important for the transport industry
- **Product is "T" rated due to its very high abrasion resistance properties**
- Slip Resistance of R11 & R12 can be achieved depending upon the top embossing selected
- Available in Plain colours or with Multi Coloured Chips and also with Glass Scrim Reinforcement for very high Dimensional Stability
- Application Areas: Transport sector like Buses, Trains, Lifts, Loading Ramps, Walk ways, Wet Areas, etc





Grey



Rust

Thickness: 1.0 / 1.5mm / 2.0 mm / 3.0mm
Roll Width: 2.0 / 1.50 mtr
Roll Length: 20 / 15 linear mtr
Tile Size: 300 X 300 / 305 X 305 / 610 X 610

TRACTION | Transport Floorings



Pinnacle Grey




D. K. Green



Silver Grey



Royal Blue



Parrot Green



Green

Note: To achieve R-12 slip resistance on Traction floorings, we recommend to use our Matrixx embossings on top surface



ISO 9001:2015
www.siv.com
ID 910867206



VRS COMMERCIALS

A UNIT OF VRS GROUP



CONTACT US :



vrscommercials@vrsgroup.in



+91 9957212265



www.vrsCommercials.com